

Casino, Poker & Lottoland User Guide

Our Casino, Poker and Lottoland client offers range of APIs to pull in feeds for jackpot and popular games, latest and top wins, recommended games, upcoming tournaments and much more. Here is the user guide to help you with our casino APIs.

CONTENTS

Casino Feeds	2
Rest API.....	2
POKER.....	7
Rest API.....	7
Lottoland	7
Rest API.....	7

CASINO FEEDS

Rest API

➤ `/pi/jackpot/games.{responseformat}`

Returns all the available jackpot games for specified brand and supported on the specified device group. Further filtering can be done based on the supported device operating system, game tags, gameIds and categories. Also use `oneJackpotPerGame` to fetch only the highest jackpot for each game. `startIndex` and `nrOfRows` can be used like pagination to fetch results from the result set.

Parameters	Description	Usage Examples
<code>app_id</code>	Identifier of the application. This is a ID of 8-character which is received by registering to Kindred developer portal.	<code>xxxxxxxx</code>
<code>app_key</code>	Shared secret of the application. This is a 32-character key which is received by registering to Kindred developer portal.	<code>xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx</code> <code>xxxxxxxx</code>
<code>responseformat</code>	Response format type. Supported responseformats are xml and json. Select the required responseformat from the dropdown.	<code>json</code>
<code>brand</code>	Filter by brand.	<code>unibet</code>
<code>locale</code>	Filter by locale.	<code>it_IT</code>
<code>jurisdiction</code>	Filter by jurisdiction.	<code>IT</code>
<code>deviceGroup</code>	Filter the result on games that is supported on specified device.	<code>desktop</code>
<code>deviceOs</code>	Filter the result on games that is supported on specified os.	<code>windows</code>
<code>gameTagIds</code>	Filter on those games that are tagged with these tags.	<code>arcade</code>
<code>gameCategories</code>	Filter on those games that are tagged with these categories.	<code>softgames</code>
<code>gameIds</code>	Filter by gameId(s), comma separated list. Use the same API to find the interested gameIds	<code>megafortune_not_mobile@netent</code>
<code>maxRows</code>	Number of results to be returned.	<code>50</code>
<code>currency</code>	Currency for amounts converting.	<code>GBP</code>
<code>startIndex</code>	Pagination parameter to indicate the starting index within the result set.	<code>1</code>
<code>nrOfRows</code>	Pagination parameter to indicate the number of results to be fetched from start index from the result set.	<code>50</code>
<code>oneJackpotPerGame</code>	Only show highest jackpot for each game.	<code>true</code>

Usage example:

- Get only highest Jackpot games supported on windows desktop for Swedish unibet brand:
`/pi/jackpot/games.json?brand=unibet&jurisdiction=SE&deviceGroup=desktop&deviceOs=windows&maxRows=0¤cy=EUR&startIndex=0&nrOfRows=10&oneJackpotPerGame=true`
- Get only highest Jackpot games supported on windows for poker:
`/pi/jackpot/games.json?brand=unibet&jurisdiction=SE&deviceGroup=desktop&deviceOs=windows&gameCategories=poker&oneJackpotPerGame=true`

➤ `/pi/wins/latest.{responseformat}`

Returns the latest wins that are max 1 day old for specified brand and supported on the specified device group. Further filtering can be done based on the supported device operating system, game tags and categories. Also use `useGlobal` flag to base searches without locale parameter.

Parameters	Description	Usage Examples
app_id	Identifier of the application. This is a ID of 8-character which is received by registering to Kindred developer portal.	xxxxxxx
app_key	Shared secret of the application. This is a 32-character key which is received by registering to Kindred developer portal.	xxxxxxxxxxxxxxxxxxxxxxxxxxxx xxxxxxxx
responseformat	Response format type. Supported responseformats are xml and json. Select the required responseformat from the dropdown.	json
brand	Filter by brand.	unibet
locale	Filter by locale.	it_IT
jurisdiction	Filter by jurisdiction.	IT
clientId	To filter by clientId (desktop, shortbread, native)	desktop
deviceGroup	Filter the result on games that is supported on specified device.	desktop
deviceOs	Filter the result on games that is supported on specified os.	windows
tags	Filter on those games that are tagged with these tags	arcade
categories	Filter on those games that are tagged with these categories.	softgames
maxRows	Number of results to be returned.	50
currency	Currency for amounts converting.	GBP
useGlobal	Base searches without locale parameter.	true

Usage example:

- Get latest wins supported on windows desktop for Swedish unibet brand:
/pi/wins/latest.json?brand=unibet&jurisdiction=SE&deviceGroup=desktop&maxRows=20¤cy=EUR&useGlobal=true

➤ /pi/wins/top.{responseformat}

Returns top wins for specified period. Further filtering can be done based on the supported device operating system, game tags, game Ids and categories. Also use useGlobal flag to base searches without locale parameter.

startIndex and nrOfRows can be used like pagination to fetch results from the result set.

Parameters	Description	Usage Examples
app_id	Identifier of the application. This is a ID of 8-character which is received by registering to Kindred developer portal.	xxxxxxx
app_key	Shared secret of the application. This is a 32-character key which is received by registering to Kindred developer portal.	xxxxxxxxxxxxxxxxxxxxxxxxxxxx xxxxxxxx
responseformat	Response format type. Supported responseformats are xml and json. Select the required responseformat from the dropdown.	json
brand	Filter by brand.	unibet
locale	Filter by locale.	it_IT
jurisdiction	Filter by jurisdiction.	IT
clientId	To filter by clientId (desktop, shortbread, native)	desktop
deviceGroup	Filter the result on games that is supported on this device.	desktop
deviceOs	Filter the result on games that is supported on this os.	windows
tags	Filter on those games that are tagged with these tags	arcade
categories	Filter on those games that are tagged with these categories.	softgames
maxRows	Number of results to be returned.	50

startIndex	Pagination parameter to indicate the starting index within the result set.	1
nrOfRows	Pagination parameter to indicate the number of results to be fetched from start index from the result set.	50
period	Filter date period, Results can be filtered on week or month.	month
month	Filter by month in case of period is selected as month. Supported format 'yyyy-MM'.	2019-04
useGlobal	Base searches without locale parameter.	true

Usage example:

- Get all top wins for Jan 2019 for unibet SE:
/pi/wins/top.json?brand=unibet&jurisdiction=SE&deviceGroup=desktop&maxRows=20&startIndex=0&nrOfRows=10¤cy=EUR&period=month&month=2019-01&useGlobal=true

➤ /pi/games/popular.{responseformat}

Returns most popular games. Further filtering can be done based on the supported device operating system, game tags and categories. Also use useGlobal flag to base searches without locale parameter.

Parameters	Description	Usage Examples
app_id	Identifier of the application. This is a ID of 8-character which is received by registering to Kindred developer portal.	xxxxxxxx
app_key	Shared secret of the application. This is a 32-character key which is received by registering to Kindred developer portal.	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
responseformat	Response format type. Supported responseformats are xml and json. Select the required responseformat from the dropdown.	json
brand	Filter by brand.	unibet
locale	Filter by locale.	it_IT
jurisdiction	Filter by jurisdiction.	IT
clientId	To filter by clientId (desktop, shortbread, native)	desktop
deviceGroup	Filter the result on games that is supported on specified device.	desktop
deviceOs	Filter the result on games that is supported on specified os.	windows
tags	Filter on those games that are tagged with these tags	arcade
categories	Filter on those games that are tagged with these categories.	softgames
maxRows	Number of results to be returned.	50
startIndex	Pagination parameter to indicate the starting index within the result set.	1
nrOfRows	Pagination parameter to indicate the number of results to be fetched from start index from the result set.	50
useGlobal	Base searches without locale parameter.	true
daysBack	How many days data will be used	90

Usage example:

- Get popular games for last 90 days:
pi/games/popular.json?brand=unibet&jurisdiction=SE&deviceGroup=desktop&maxRows=20&startIndex=0&nrOfRows=10&useGlobal=true&daysBack=90

➤ /pi/jackpot/current.{responseformat}

Returns all current jackpots. Further filtering can be done based on the supported device operating system, game tags, gameIds and categories. Also use oneJackpotPerGame to fetch only the highest jackpot for each game.

Parameters	Description	Usage Examples
app_id	Identifier of the application. This is a ID of 8-character which is received by registering to Kindred developer portal.	xxxxxxxx
app_key	Shared secret of the application. This is a 32-character key which is received by registering to Kindred developer portal.	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx xxxxxxxx
responseformat	Response format type. Supported responseformats are xml and json. Select the required responseformat from the dropdown.	json
brand	Filter by brand.	unibet
locale	Filter by locale.	it_IT
jurisdiction	Filter by jurisdiction.	IT
deviceGroup	Filter the result on games that is supported on this device.	desktop
deviceOs	Filter the result on games that is supported on this os.	windows
gameTagIds	Filter on those games that are tagged with these tags.	arcade
gameCategories	Filter on those games that are tagged with these categories.	softgames
gameIds	Filter by gameId(s), comma separated list.	
maxRows	Number of results to be returned.	50
currency	Currency for amounts converting.	GBP
oneJackpotPerGame	Only show highest jackpot for each game.	true

Usage example:

- Get current jackpots supported on windows desktop for Swedish unibet brand:
/pi/jackpot/current.json?brand=unibet&jurisdiction=SE&deviceGroup=desktop&maxRows=0¤cy=EUR&oneJackpotPerGame=true
- Get current jackpots for poker:
/pi/jackpot/current.json?brand=unibet&jurisdiction=SE&deviceGroup=desktop&gameCategories=poker&maxRows=0¤cy=EUR&oneJackpotPerGame=true

➤ /pi/jackpot/currentjackpotstotal.{responseformat}

Returns total jackpot value across devices for specified locale and currency.

Parameters	Description	Usage Examples
app_id	Identifier of the application. This is a ID of 8-character which is received by registering to Kindred developer portal.	xxxxxxxx
app_key	Shared secret of the application. This is a 32-character key which is received by registering to Kindred developer portal.	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx xxxxxxxx
responseformat	Response format type. Supported responseformats are xml and json. Select the required responseformat from the dropdown.	json
brand	Filter by brand.	unibet
jurisdiction	Filter by jurisdiction.	IT
currency	Currency for amounts converting.	GBP
locale	Filter by locale.	it_IT

Usage example:

- Get total jackpot value for unibet UK:
/pi/jackpot/currentjackpottotal.json?brand=unibet&jurisdiction=UK¤cy=GBP&locale=en_GB

➤ /pi/games/recommended.{responseformat}

Returns all the recommended games based on the specified gameId. Further filtering can be done based on the supported device operating system, game tags and categories. Also use useGlobal flag to base searches without locale parameter.

Parameters	Description	Usage Examples
app_id	Identifier of the application. This is a ID of 8-character which is received by registering to Kindred developer portal.	xxxxxxxx
app_key	Shared secret of the application. This is a 32-character key which is received by registering to Kindred developer portal.	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
responseformat	Response format type. Supported responseformats are xml and json. Select the required responseformat from the dropdown.	json
brand	Filter by brand.	unibet
locale	Filter by locale.	it_IT
jurisdiction	Filter by jurisdiction.	IT
clientId	To filter by clientId (desktop, shortbread, native)	desktop
deviceGroup	Filter the result on games that is supported on this device.	desktop
deviceOs	Filter the result on games that is supported on this os.	windows
Tags	Filter on those games that are tagged with these tags	arcade
categories	Filter on those games that are tagged with these categories.	softgames
maxRows	Number of results to be returned.	50
gameId	The unique gameId that the recommended games will be based on	
useGlobal	Base searches without locale parameter.	true

Usage example:

- Get recommended games for gameId megaMoolah@mg :
/pi/games/recommended.json?brand=unibet&jurisdiction=SE&deviceGroup=desktop&maxRows=20&gameId=megaMoolah%40mg&useGlobal=true

POKER

Rest API

- `/pi/games/poker/tournaments/upcoming.{responseformat}`

Lists all upcoming poker tournaments. Also includes in progress tournaments that are still available for late registration

Parameters	Description	Usage Examples
app_id	Identifier of the application. This is a ID of 8-character which is received by registering to Kindred developer portal.	xxxxxxxx
app_key	Shared secret of the application. This is a 32-character key which is received by registering to Kindred developer portal.	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx xxxxxxxx
responseformat	Response format type. Supported responseformats are xml and json. Select the required responseformat from the dropdown.	json

Usage example:

- Get all upcoming poker tournaments: `/pi/games/poker/tournaments/upcoming.json`

LOTTOLAND

Rest API

- `/lottoland/lotteries.{responseformat}`

Returns detailed information about one or many lotteries within specified site. Each lottery can have multiple jackpots. Further filtering can be done based on lotteryIds and gameIds.

Parameters	Description	Usage Examples
app_id	Identifier of the application. This is a ID of 8-character which is received by registering to Kindred developer portal.	xxxxxxxx
app_key	Shared secret of the application. This is a 32-character key which is received by registering to Kindred developer portal.	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx xxxxx
responseformat	Response format type	json
site	Defines the geographical site that the player is registered in. Select the interested site from the drop down	www.unibet.co.uk
currency	currency value	GBP
lotteryIds	Filter by lotteryIds	
gameIds	Filter by gameIds. Use the same API to find the interested gameIds. Comma separated multiple values are separated	austriaLotto@lottoland, keno247@lottoland

Usage example:

- Get detailed information of all lotteries with UK site:
`/lottoland/lotteries.json?site=www.unibet.co.uk¤cy=GBP`
- Get the lotteries for Austrian Lotto:
`/lottoland/lotteries.json?site=www.unibet.co.uk¤cy=GBP&gameIds=austriaLotto@lottoland`

